



CONTENTS

Reliability of assigning O-H ··· O hydrogen bonds to short intermolecular O ··· O separations in cyclodextrin and oligosaccharide crystal structures T. Steiner and W. Saenger (Berlin, Germany)	1
A ¹ H NMR study of inclusion complex formation between β -cyclodextrin and monohydroxy-pyridines M. Cotta Ramusino and S. Pichini (Roma, Italy)	13
Synthesis of specifically monofluorinated ligands related to the O-polysaccharide of <i>Shigella dysenteriae</i> type 1 L.A. Mulard, P. Kováč and C.P.J. Glaudemans (Bethesda, MD, USA)	21
Oxidation of D-glucose by Cu(II) in acidic medium S. Signorella, R. Lafarga, L. Ciullo and L.F. Sala (Rosario, Argentina)	35
Structure of the <i>Acetobacter methanolicus</i> MB 129 capsular polysaccharide, and of oligosaccharides resulting from degradation by bacteriophage <i>Acm7</i> H.D. Grimmecke (Borstel, Germany), Y.A. Knirel (Moscow, Russian Federation), B. Kiesel (Leipzig, Germany), M. Voges and E.Th. Rietschel (Borstel, Germany)	45
The structure of the O-specific polysaccharide of <i>Salmonella arizona</i> O21 (<i>Arizona</i> 22) containing N-acetyleneurameric acid E.V. Vinogradov, Y.A. Knirel, A.S. Shashkov, N.A. Paramonov, N.K. Kochetkov, E.S. Stanislavsky and E.V. Kholodkova (Moscow, Russian Federation)	59
The structure of the O-specific polysaccharide of <i>Hafnia alvei</i> strain 1216 E. Katzenellenbogen, E. Romanowska (Wroclaw, Poland), A.S. Shashkov, N.A. Kocharova, Y.A. Knirel and N.K. Kochetkov (Moscow, Russian Federation)	67
Protopectinase-T: a rhamnogalacturonase able to solubilize protopectin from sugar beet T. Sakamoto and T. Sakai (Osaka, Japan)	77
Synthesis of tetrasaccharide analogues of the N-glycan substrate of β -(1 → 2)-N-acetylglucosaminyltransferase II using trisaccharide precursors and recombinant β -(1 → 2)-N-acetylglucosaminyltransferase I F. Reck (Toronto, ON, Canada), M. Springer, H. Paulsen (Hamburg, Germany), I. Brockhausen, M. Sarkar and H. Schachter (Toronto, ON, Canada)	93
Regioselective transglycosylation in the synthesis of oligosaccharides: comparison of β -galactosidases and sialidases of various origins K. Ajisaka, H. Fujimoto and M. Isomura (Odawara, Japan)	103

Notes

- Fluorination at position 6 of derivatives of methyl α -D-galactopyranoside
L.A. Mulard, P. Kováč and C.P.J. Glaudemans (Bethesda, MD, USA) 117

- Improved preparation of 1,6-anhydro-4-deoxy-2-O-*p*-toluenesulphonyl- β -D-xylo-hexopyranose
and of its D-[4-²H]gluco-analogue from 1,6:3,4-dianhydro-2-O-*p*-toluenesulphonyl- β -D-
galactopyranose
T. Trnka, M. Buděšínský and M. Černý (Prague, Czech Republic) 131

- Synthesis of (\pm) 3,6-di-*O*-benzyl-2-*myo*-inosose 1,4,5-tri-*O*-dibenzylphosphate as potential inter-
mediate for the preparation of tritium-labelled *myo*-inositol 1,4,5-triphosphate
N. Schnetz-Boutaud, B. Spiess and G. Schlewer (Illkirch, France) 135

- Photochemical access to alkyl 3-deoxyglycopyranosid-4-uloses
J. Cossy and S. Ibhé (Paris, France) 141

- Somatic antigens of pseudomonads: structure of the O-specific polysaccharide of *Pseudomonas*
fluorescens biovar A strain IMV 472
Y.A. Knirel (Moscow, Russian Federation), S.N. Veremeychenko (Kiev, Ukraine), G.M.
Zdorovenko, A.S. Shashkov, N.A. Paramonov (Moscow, Russian Federation), I.Ya. Za-
kharova (Kiev, Ukraine) and N.K. Kochetkov (Moscow, Russian Federation) 147

- The structure of the O-specific polysaccharide of *Pseudomonas solanacearum* strain 8089
N.A. Kocharova, A.S. Shashkov, Y.A. Knirel (Moscow, Russian Federation), L.D. Varbanets
and N.V. Moskalenko (Kiev, Ukraine) 153

Preliminary communication

- 2-Acetamido-4-*O*-[(*S*)-1-carboxyethyl]-2-deoxy-D-glucose: a new natural isomer of *N*-acetyl-
muramic acid from the O-specific polysaccharide of *Proteus penneri* 35
Y.A. Knirel, N.A. Paramonov, E.V. Vinogradov, N.K. Kochetkov (Moscow, Russian Federa-
tion), Z. Sidorczyk and K. Zych (Lodz, Poland) C1

Regular papers

- Conformational analysis and computer modelling of muramic acid δ -lactam structures
Z. Banić, B. Kojić-Prodić (Zagreb, Croatia), L. Kroon-Batenburg (Utrecht, Netherlands) and
D. Keglević (Zagreb, Croatia) 159

- Synthesis and conformational analysis of 2-(indol-3-yl)ethyl α -L-arabinopyranoside and its 2,3,4-
tri-*O*-acetyl derivative
S. Tomić (Zagreb, Croatia), B.P. Van Eijck, J. Kroon (Utrecht, Netherlands), B. Kojić-Prodić,
G. Laćan, V. Magnus (Zagreb, Croatia), H. Duddeck (Hannover, Germany) and M. Hiege-
mann (Bochum, Germany) 175

- A new synthesis of L-talose and preparation of its adenine nucleosides
L.M. Lerner and G. Mennitt (Brooklyn, NY, USA) 191

- Synthesis of KDN-lactotetraosylceramide, KDN-neolactotetraosylceramide, and KDN-Lewis X
ganglioside
T. Terada, M. Kiso and A. Hasegawa (Gifu, Japan) 210

Synthesis of (2R,3R,4S)-2-hydroxymethylpyrrolidine-3,4-diol from (2S)-3,4-dehydroproline derivatives	219
D.M. Goli, B.V. Cheesman (Toledo, OH, USA), M.E. Hassan (Aswan, Egypt), R. Lodaya and J.T. Slama (Toledo, OH, USA)	219
<i>N</i> -Containing sugars from <i>Morus alba</i> and their glycosidase inhibitory activities	243
N. Asano, K. Oseki, E. Tomioka, H. Kizu and K. Matsui (Ishikawa, Japan)	243
Structure of a hexasaccharide proximal to the hydrophobic region of lipopolysaccharides present in <i>Bordetella pertussis</i> endotoxin preparations	257
S. Lebbar, M. Caroff, L. Szabó, C. Mérianne (Orsay, France) and L. Szilógyi (Debrecen, Hungary)	257
<i>Notes</i>	
¹³ C- ¹ H Spin-coupling constants in carbohydrates: magnitude and sign determinations via 2D NMR methods	277
A.S. Serianni and C.A. Podlasek (Notre Dame, IN, USA)	277
Carbohydrate haptens: 4-nitrophenyl 2-acetamido-2-deoxy- β -D-glucopyranosyl-(1 \rightarrow 6)- α -D-mannopyranosyl-(1 \rightarrow 6)- β -D-mannopyranoside and a related trisaccharide	283
S.H. Khan and K.L. Matta (Buffalo, NY, USA)	283
A simple method for the preparation of thioglycosides of <i>N</i> -acetylneuraminic acid	293
S. Bennett, M. Von Itzstein and M.J. Kiefel (Parkville, Australia)	293
The synthesis of 2,3-didehydro-2,4-dideoxy-4-guanidinyl- <i>N</i> -acetylneuraminic acid: a potent influenza virus sialidase inhibitor	301
M. Von Itzstein, W.-Y. Wu and B. Jin (Parkville, Australia)	301
A convenient chemoenzymatic synthesis of D-and L- <i>myo</i> -inositol 1,4,5,6-tetrakisphosphate	307
S. Ozaki, L. Ling, T. Ogasawara, Y. Watanabe (Matsuyama, Japan) and M. Hirata (Fukuoka, Japan)	307
Relationship of chemical shift to glycosidic conformation in the solid-state ¹³ C NMR spectra of (1 \rightarrow 4)-linked glucose polymers and oligomers: anomeric and related effects	311
M.C. Jarvis (Glasgow, United Kingdom)	311
<i>Author index</i>	
<i>Subject index</i>	
Contents	C11